L		Hits	Search Text	DB	Time stamp	
Numb	er				0004/11/1/00	
1		4	document\$4 near3 password\$4 near5 set\$4	USPAT;	2004/11/09	
	- 1		and @ad<20001011 and (709/\$.ccls.	US-PGPUB;	07:40	
	.		715/\$.ccls.)	EPO; JPO;		
			7107 7.0015 7	DERWENT;		
				IBM TDB		
	:		1 101 101 101 101 101 101 101 101 101 1	USPAT;	2004/11/09	i
2		19	document\$4 near3 password\$4 near5 set\$4		07:39	
			and @ad<20001011	US-PGPUB;	07:39	
	:			EPO; JPO;		
	, i			DERWENT;		
			•	IBM TDB		
2	0	1	document\$4 near3 password\$4 near10	USPAT;	2004/11/09	
3		1		US-PGPUB;	07:43	1
		ì	(download\$4 view\$4) and @ad<20001011 and		07.45	
	0		(709/\$.ccls. 715/\$.ccls.)	EPO; JPO;	-	
				DERWENT;		
	-	-		IBM TDB		}
_		2	document\$4 near3 password\$4 near10	USPAT;	2004/11/09	1
5	*	۷		US-PGPUB;	09:08	
			(download\$4 view\$4) and @ad<20001011	1	05.00	
				EPO; JPO;		
			\	DERWENT;		,
	;		•	IBM TDB		
Λ		14	(page\$4 webpage\$4 site\$4 website\$4	USPAT;	2004/11/09	
4		14		US-PGPUB;	07:48	
			document\$4) near3 password\$4 near10	1	07.10	
			(download\$4 view\$4) and @ad<20001011 and	EPO; JPO;		
	-		(709/\$.ccls. 715/\$.ccls.)	DERWENT;		
				IBM TDB		
6		43	(page\$4 webpage\$4 site\$4 website\$4	USPAT;	2004/11/09	
5	. [43	(pages4 webpages4 sites4 websites41	US-PGPUB;	08:05	
			document\$4) near3 password\$4 near10 set\$4		00.05	
	:		and @ad<20001011	EPO; JPO;		
				DERWENT;		
				IBM TDB		
0	:	1		USPAT	2004/11/09	
8		1			07:51	
	l			IICD 3 m		
9		1	,	USPAT	2004/11/09	
					07:51	
10		1	•	USPAT	2004/11/09	
10	ĺ	•			07:52	
		1		USPAT	2004/11/09	
11		1		052711	07:52	
	ļ			IICDAM		
12	İ	1		USPAT	2004/11/09	
					07:52	
7	0.0	65	assign\$4 near10 (page\$4 webpage\$4 site\$4	USPAT;	2004/11/09	
•		0.5	website\$4 document\$6) near10 password\$4	US-PGPUB;	07:55	
			and @ad<20001011	EPO; JPO;		
			and ead<20001011	1		
				DERWENT;		
	ŀ		· ·	IBM_TDB		
13	ļ	2784	protect\$6 near10 password\$4 and	USPAT;	2004/11/09	
10	•	2,01	@ad<20001011	US-PGPUB;	07:57	
	_ ;]		Gadysonotott	EPO; JPO;		
	•			DERWENT;		
	0		,	IBM_TDB		
		1355	protected near10 password\$4 and	USPAT;	2004/11/09	
14		1 3 3 3		US-PGPUB;	07:57	
14	- 8	1222	@ad<20001011	1 02-50500:	•	
14	*	1222	@ad<20001011		· ·	
14	* :	. 1222	@ad<20001011	EPO; JPO;	•	
14	* :	. 1333	@ad<20001011	EPO; JPO; DERWENT;		
14		1333	@ad<20001011	EPO; JPO; DERWENT; IBM_TDB	·	
				EPO; JPO; DERWENT;	2004/11/09	
		158	protected near10 password\$4 and	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/11/09	
14 15	*			EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	· ·	
			protected near10 password\$4 and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	· ·	
			protected near10 password\$4 and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	· ·	
			protected near10 password\$4 and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	07:58	
15		158	protected near10 password\$4 and @ad<20001011 and 709/\$.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	· ·	
15			protected near10 password\$4 and @ad<20001011 and 709/\$.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	07:58 2004/11/09	
		158	protected near10 password\$4 and @ad<20001011 and 709/\$.ccls. protected near10 password\$4 near10 document\$4 and @ad<20001011 and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	07:58	
15		158	protected near10 password\$4 and @ad<20001011 and 709/\$.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	07:58 2004/11/09	
15		158	protected near10 password\$4 and @ad<20001011 and 709/\$.ccls. protected near10 password\$4 near10 document\$4 and @ad<20001011 and	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	07:58 2004/11/09	

	:				0004/11/00	
17	:	15663	protected near10 password\$4 near10	USPAT; US-PGPUB;	2004/11/09 08:00	٤
			page\$4and @ad<20001011 and 709/\$.ccls.	EPO; JPO;	00.00	
	ļ			DERWENT;		
			•	IBM TDB		-
18		22	protected near10 password\$4 near10 page\$4	USPĀT;	2004/11/09	
10		22	and @ad<20001011 and 709/\$.ccls.	US-PGPUB;	08:11	
				EPO; JPO;		
				DERWENT;		
				IBM_TDB		ļ
19		6		USPAT;	2004/11/09	1
	:	:	and @ad<20001011	US-PGPUB;	08:04	
				EPO; JPO;		
	-			DERWENT;		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	2004/11/09	:
20		4		USPAT; US-PGPUB;	08:05	
			document\$4) near3 password\$4 near10	EPO; JPO;	00.03	
			publish\$4 and @ad<20001011	DERWENT;		
				IBM TDB		:
2.0	-00	107	protected near10 password\$4 near10	USPAT;	2004/11/09	
32	÷	187	(file\$4 page\$4 document\$4) and	US-PGPUB;	08:11	
	:	•	(111e54 page54 document54) and	EPO; JPO;		:
	Ť		GadV20001011	DERWENT;		1
			·	IBM TDB		-
33	•	30	protected near10 password\$4 near10	USPAT;	2004/11/09	-
33	-	30	(file\$4 page\$4 document\$4) and	US-PGPUB;	08:13	-
			@ad<20001011 and 709/\$.ccls.	EPO; JPO;		:
				DERWENT;		ž.
İ	,	,	·	IBM_TDB		
34		9		USPAT;	2004/11/09	
			and @ad<20001011 and 709/\$.ccls.	US-PGPUB;	08:15	
				EPO; JPO;		
	Ē			DERWENT;		
	÷		10.1	IBM_TDB	2004/11/09	
35		3		USPAT; US-PGPUB;	08:34	1
			password\$4 and @ad<20001011	EPO; JPO;	00.54	
				DERWENT;		3
				IBM TDB		1:
0.5		546	document\$4 near10 password\$4 and	USPAT;	2004/11/09	-
36	*	546	@ad<20001011	US-PGPUB;	08:17	
			@ad<20001011	EPO; JPO;		
				DERWENT;		
	-			IBM TDB	'	
37	Ė	17	assign\$4 near10 document\$4 near10	USPAT;	2004/11/09	
31		1'	password\$4 and @ad<20001011	US-PGPUB;	08:18	
			Passing and a series of the se	EPO; JPO;		
				DERWENT;	ļ ļ	
				IBM_TDB		
38		11	collaborat\$6 near10 document\$4 near10	USPAT;	2004/11/09	
	•		whiteboard\$4 and @ad<20001011	US-PGPUB;	08:44	
				EPO; JPO;		ļ
				DERWENT;		ĺ
				IBM_TDB	2004/11/00	
39		5		USPAT;	2004/11/09 08:44)
	÷		comment\$4 and @ad<20001011	US-PGPUB;	00:44	ļ
	-	,		EPO; JPO; DERWENT;		1
				IBM TDB		
			, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/11/09	
40		0	document\$4 near3 password\$4 near10	US-PGPUB;	09:13	
	_		(download\$4 view\$4) and @ad<20001011 and	EPO; JPO;		
	•		707/1-10.ccls.	DERWENT;		
		1		IBM TDB		
		0	document\$4 near3 password\$4 near10	USPAT;	2004/11/09	ļ
41		l 0	(download\$4 view\$4) and @ad<20001011 and	US-PGPUB;	09:13	Ì
		1	713/200-201.ccls.	EPO; JPO;		
	:		113/200 201.0013.	DERWENT;		1
	ė			IBM TDB		
1			•			

-		64	return near10 receipt near10 verif\$8	USPAT;	2004/11/08 15:22
	:			US-PGPUB; EPO; JPO;	15:22
	i			DERWENT;	
			·	IBM_TDB	
-		8 ·	return near10 receipt near10 verif\$8 and	USPAT;	2004/11/08
			709/206.ccls.	US-PGPUB;	15:22
	-			EPO; JPO; DERWENT;	
				IBM TDB	
_		5	return near10 receipt near10 disp\$8 and	USPAT;	2004/11/08
	-	-	709/206.ccls.	US-PGPUB;	15:23
	: 1			EPO; JPO;	
	:			DERWENT;	
		1	email near10 disp\$6 near10 read near10	IBM_TDB USPAT;	2004/11/08
_		.	sent and 709/206.ccls.	US-PGPUB;	15:24
		1	Selic alia 7037 E001 GSES1	EPO; JPO;	
				DERWENT;	
				IBM_TDB	0.000 4 /1.1 / 0.0
-		0	disp\$6 near10 read near10 sent near10	USPAT; US-PGPUB;	2004/11/08
			"if" and 709/206.ccls.	EPO; JPO;	13.24.
				DERWENT;	
				IBM_TDB	
-		857699		USPAT;	2004/11/08
			messag\$6) and 709/206.ccls.	US-PGPUB;	15:25
				EPO; JPO;	
				DERWENT; IBM TDB	
	-	1	log\$4 near10 sent near10 status near10	USPAT;	2004/11/08
		_	(email or messag\$6) and 709/206.ccls.	US-PGPUB;	15:25
İ	1		3, ,	EPO; JPO;	
			×	DERWENT;	
			10 () 1	IBM_TDB USPAT;	2004/11/08
-	j i	466	status near10 (email or messag\$6) and 709/206.ccls.	US-PGPUB;	15:25
			7097200.0013.	EPO; JPO;	
	,			DERWENT;	
				IBM_TDB	2224/11/22
-		93	status near10 (email or messag\$6) same	USPAT;	2004/11/08 15:25
			display and 709/206.ccls.	US-PGPUB; EPO; JPO;	15:25
				DERWENT;	
	-			IBM TDB	
_		2328	status near10 (email or messag\$6) same	USPAT;	2004/11/08
			track\$4and 709/206.ccls.	US-PGPUB;	15:26
	-			EPO; JPO; DERWENT;	
				IBM TDB	
_		40	status near10 (email or messag\$6) same	USPAT;	2004/11/08
			track\$4 and 709/206.ccls.	US-PGPUB;	15:26
				EPO; JPO;	
				DERWENT; IBM TDB	
		1		USPAT	2004/11/08
_		. 1	*	77777	15:29
_	`	1		USPAT	2004/11/08
					15:29
-	00	1		USPAT	2004/11/08 15:30
			·	USPAT	2004/11/08
-		1	·	John	15:31
_		1	*	USPAT	2004/11/08
0					15:31
- 0		1		USPAT	2004/11/08
				USPAT	15:31 2004/11/08
-		1		OSFAI	15:32
_		1		USPAT	2004/11/08
	:				15:32
L	: .				

				tid Dam.	2004/11/00	
_	÷	0	email near10 hyperlink\$4 near10 view\$4	USPAT; US-PGPUB;	2004/11/08 15:43	
			near10 document\$4 and @ad<20001011	EPO; JPO;	13.43	
			·	DERWENT;		
	: 1			IBM TDB		
		28	email near10 hyperlink\$4 and	USPAT;	2004/11/08	
		20	@ad<20001011	US-PGPUB;	15:45	
	:		ead\20001011	EPO; JPO;		
				DERWENT;		
ļ				IBM TDB		
i _		5	ofoto and @ad<20001011	USPAT;	2004/11/08	
	-	9		US-PGPUB;	15:47	
:				EPO; JPO;		}
				DERWENT;		
	-			IBM_TDB	0004/11/06	ļ
-	•	9	view\$4 near10 document\$4 near10 server\$4	USPAT;	2004/11/08	
	:		near10 hyperlink\$4 and @ad<20001011	US-PGPUB;	15:51	
	:			EPO; JPO;		1
	-		·	DERWENT; IBM TDB		
	•	_	and manufactures of manufactures	USPAT;	2004/11/08	-
-	•	0		US-PGPUB;	15:51	1
			near10 logging and @ad<20001011	EPO; JPO;		
				DERWENT;		
				IBM TDB		
_	•	2	view\$4 near10 document\$4 near10 server\$4	USPAT;	2004/11/08	Ì
_	· ·		near10 receipt\$4 and @ad<20001011	US-PGPUB;	15:52	
İ			nedrio reception division of	EPO; JPO;		
	:			DERWENT;		
	-	-		IBM_TDB		
	:	0		USPAT;	2004/11/08	
			near10 invit\$6 and @ad<20001011	US-PGPUB;	15:52	
			+	EPO; JPO;		,
	÷			DERWENT;		
			10 1 22	IBM_TDB	2004/11/08	
-		4	view\$4 near10 server\$4 near10 invit\$6	USPAT; US-PGPUB;	15:52	
			and @ad<20001011	EPO; JPO;	15.52	
Ì				DERWENT;		
				IBM TDB		
	ů.		view\$4 near10 pictur\$4 near10 server\$4	USPAT;	2004/11/08	
-		1	near10 invit\$6 and @ad<20001011	US-PGPUB;	15:53	
			nearly invited and educement	EPO; JPO;		
			-	DERWENT;		
				IBM_TDB		
_		0	view\$4 near10 document\$4 near10 server\$4	USPAT;	2004/11/08	
			near10 invit\$6 and @ad<20001011	US-PGPUB;	15:54	
				EPO; JPO;		
				DERWENT;		
	:			IBM_TDB	2004/11/00	
-	÷	0	send\$4 near10 email\$4 near10 hyperlink\$4	USPAT;	2004/11/08	
	;		near10 document\$4 near10 server\$4 and	US-PGPUB;	10:04	•
	:	a	@ad<20001011	EPO; JPO; DERWENT;		
			·	IBM TDB		
	•		14410104 manual humanlinke4	USPAT;	2004/11/08	
-		1		US-PGPUB;	15:56	
			near10 document\$4 and @ad<20001011	EPO; JPO;		
				DERWENT;		
		171		IBM TDB		
_		0	send\$4 near10 email\$4 near10 hyperlink\$4	USPAT;	2004/11/08	
-		1	near10 view\$4 and @ad<20001011	US-PGPUB;	15:57	
			1104210 11041 4104	EPO; JPO;		
				DERWENT;		
				IBM_TDB		
_		0	send\$4 near10 email\$4 near10 hyperlink\$4	USPAT;	2004/11/08	
			near10 (see\$4 look\$4) and @ad<20001011	US-PGPUB;	15:57	
				EPO; JPO;		
				DERWENT;		
1				IBM_TDB	1	

,			10 1104 manual 0 hamanlinks4	USPAT;	2004/11/08	-
. –	. 1	4	send\$4 near10 email\$4 near10 hyperlink\$4 and @ad<20001011	US-PGPUB;	16:46	
	:		and @ad<20001011	EPO; JPO;		
				DERWENT;		
				IBM TDB		-
	÷	. 0	send\$4 near10 email\$4 near10 hyperlink\$4	USPAT;	2004/11/08	_
_		· · ·	and @ad<20001011 and	US-PGPUB;	16:47	-
	:		715/500.1-501.1.ccls.	EPO; JPO;		-
	:			DERWENT;		
				IBM_TDB		
-		41	publish\$4 near10 document\$4 same	USPAT;	2004/11/08	1-
			password\$4 and 2ad<20001011	US-PGPUB;	17:28	1
			·	EPO; JPO;		
	-			DERWENT; IBM TDB		1
		_	12' 144 10 de gymonté 4 noar 10	USPAT;	2004/11/08	
-		9	<pre>publish\$4 near10 document\$4 near10 password\$4 and 2ad<20001011</pre>	US-PGPUB;	17:27	
			password34 and Zad<20001011	EPO; JPO;		1
		:	·	DERWENT;		
	į.			IBM TDB		1
-	101	546	document\$4 near10 password\$4 and	USPAT;	2004/11/08	,
		340	@ad<20001011	US-PGPUB;	17:27	
			-	EPO; JPO;		
				DERWENT;	<u> </u>	
	·			IBM_TDB	2004/11/00	
-		0	publish\$4 near10 document\$4 near10	USPAT;	2004/11/08	
			password\$4 and @ad<20001011	US-PGPUB;	17:27	
				EPO; JPO; DERWENT;		
	,			IBM TDB		
	:		11' had no mil o do gumonted gamo	USPAT;	2004/11/08	
-		13	publish\$4 near10 document\$4 same password\$4 and @ad<20001011	US-PGPUB;	17:28	
			password34 and gad<20001011	EPO; JPO;		
				DERWENT;		
				IBM TDB		
_		19	Send\$4 near10 server\$4 near10 document\$4	USPAT;	2004/11/08	
			same password\$4 and @ad<20001011	US-PGPUB;	17:29	
				EPO; JPO;		ļ
				DERWENT;		
				IBM_TDB	2004/11/00	ļ
-	÷	4		USPAT; US-PGPUB;	2004/11/08	Ì
			near10 password\$4 and @ad<20001011	EPO; JPO;	17.29	
ļ	;			DERWENT;		
İ				IBM TDB		
		041354	restrict\$4 neral0 print\$4 near10	USPAT;	2004/11/08	
-		941354	document\$4 near10 password\$4 and	US-PGPUB;	17:30	
			@ad<20001011	EPO; JPO;		ļ
	•			DERWENT;		
				IBM_TDB		
_	•	. 0	restrict\$4 near10 print\$4 near10	USPAT;	2004/11/08	
			document\$4 near10 password\$4 and	US-PGPUB;	17:30	
			@ad<20001011	EPO; JPO;		ļ
			;	DERWENT; IBM TDB		1
		_	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/11/08	
-		78	restrict\$4 near10 print\$4 near10 document\$4 and @ad<20001011	US-PGPUB;	17:32	i
			document34 and Gad<20001011	EPO; JPO;		
				DERWENT;		
				IBM TDB		
_		0	deny\$4 near10 print\$4 near10 document\$4	USPĀT;	2004/11/08	l
-			and @ad<20001011 and (709/\$.ccls.	US-PGPUB;	17:33	
			715/\$.ccls.)	EPO; JPO;		
				DERWENT;		
				IBM_TDB	0004/11/200	
-	-	4		USPAT;	2004/11/08	
			document\$4 and @ad<20001011 and	US-PGPUB;	17:34	
			(709/\$.ccls. 715/\$.ccls.)	EPO; JPO; DERWENT;		
				IBM TDB		
1				TOM TOD		

Page 5

- 13	prevent\$4 near10 print\$4 near10 document\$4 and @ad<20001011 and (709/\$.ccls. 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/09 07:36
------	--	---	---------------------